ANRUDA®
Anruda Fitness Fabric

NO.202610215050001
A5050

SCHEDA TECNICO-COMMERCIALE

Commercial - Technical Data

Anruda Internal Quality Standard Requirements, Version 2025-A

Basic test information

Sample Information	**Card No.:**	202610215050001	**Sample Photo**		
	Material:	A5050			
	Color:	Dusty Pink			
Type of Test	Internal Test	**Sample Receipt Date**	2026.10.19	**Report Issue Date**	2026.10.21

Test Item	Test Method	Specification Requirement	Test Result	Assessment
Fibre Content	ISO 1833-20:2018 ISO 1833-1:2020	/	50.0% Modal 44.8% Polyester 5.2% Spandex	**Pass**
Color Fastness to Rubbing	ISO 105-X12:2016	Dry ≥ 4 Wet ≥ 3-4	Dry: 4-5 Wet: 4-5	**Pass**
Pilling Resistance	ISO 12945-2:2020	≥ 3-4	4-5	**Pass**
Dimensional Change After Washing	ISO 3759:2011 ISO 6330:2021 4N ISO 5077:2007	(-3.0% ~ +1.0%) (+) indicates extension (-) indicates shrinkage	Lengthwise: -1.5% Widthwise: -1.8%	**Pass**
Formaldehyde Content	ISO 14184-1:2011	Not Detected	Not Detected	**Pass**
pH Value	ISO 3071:2020	4.0-7.5	6.9	**Pass**

安切达品质测试专用
ANRUDA
QUALITY TEST SEAL

Certifications

ISO9001 · OEKO-TEX STANDARD 100 23.HCN.41617 Hohenstein · Global Recycled Standard · MA · CNAS · ilac-MRA

Note / Notes:

We recommend testing each dyebath before any treatment or application other than cutting and sewing.

To improve our products, we reserve the right to modify these, as and when necessary.